

Aspery, Lynne

From: Sue.Howe@hsl.gsi.gov.uk on behalf of lupenquiries@hsl.gsi.gov.uk
Sent: 05 June 2019 14:43
To: Aspery, Lynne
Subject: Re: Planning ApplicationR/2019/0331/SCP
Attachments: eCon_Health and Safety Executive .doc

Dear Ms Aspery

Thank you for your email regarding application R/2019/0331/SCP
Request for a scoping opinion for PROPOSED PORT BASED DEVELOPMENT FOR THE OFFSHORE MARINE ENERGY SECTOR (OFFSHORE WIND TURBINES)

Regulation 4(4) of the Town and Country Planning (Environmental Impact Assessment) Regulations 2017 requires the assessment of significant effects to include, where relevant, the expected significant effects arising from the proposed development's vulnerability to major accidents.

HSE responses to Environmental Impact Assessment consultations will be limited to our role in the land use planning system on the control of major-accident hazards involving dangerous substances. HSE will not respond in our regulatory role in the health and safety system. HSE will not examine environmental statements as that is for the relevant planning authority or the Secretary of State to do [Regulation 4(5)].

<http://www.hse.gov.uk/landuseplanning/environmental-impact-assessment-consultations.htm>

HSE will focus on whether the development:

- involves the keeping and/or using of hazardous substances and whether we have been consulted or will be consulted on hazardous substances consent [The Planning (Hazardous Substances) Regulations 2015];
- is located within our land-use-planning consultation zones or safeguarding zones, and whether our advice web app has been used to obtain advice [The Town and Country Planning (Development Management Procedure) (England) Order 2015].

HSE will take the opportunity to remind the developer that it may be beneficial for the employer to undertake a risk assessment as early as possible to satisfy themselves that their design and operation will meet requirements of relevant health and safety legislation as the project progresses.

Under Great Britain's health and safety legislation, HSE does not have a role in examining risk or hazard assessments unless the circumstances are covered by specific regulations.

HSE assumes that you have consulted us as your proposed development is vulnerable to a major accident as it sits within a consultation zone around a major accident hazard site or pipeline.

If you would like early reassurance that the development you are proposing would meet HSE's land use planning advice criteria in regard to public protection, then we suggest you access HSE's Land use planning information and advice by using the Land Use Planning Web App and pre-application advice service (<https://pa.hsl.gov.uk/>). You can also use this service to see if it is located within a consultation zone.

If you require further help with this then please contact us again.

Regards

Sue Howe

HSE's Land Use Planning Support Team
HSE Science and Research Centre
Harpur Hill, Buxton, Derbyshire, SK17 9JN
Direct: +44 (0) 203028-3708
Find out how HSE is [Helping Great Britain work well](#)

For HSE's Land Use Planning Advice Terms and Conditions, please click on the following link

<https://www.hsl.gov.uk/planningadvice> and then click on 'terms and conditions'.

From: "Aspery, Lynne" <Lynne.Aspery@redcar-cleveland.gov.uk>
To: "lupenquiries@hsl.gsi.gov.uk" <lupenquiries@hsl.gsi.gov.uk>,
Date: 30/05/2019 14:34
Subject: Planning ApplicationR/2019/0331/SCP

Please find attached a letter from the Development Management section of Redcar and Cleveland Borough Council in connection with the above planning application. If you have any difficulties opening the attachment, please contact a member of the Planning Admin team on 01287 612344 or 01287 612471.

We have recently updated our terms and conditions for all our services, including making some important updates to our privacy notices. To find out more about how we collect, use, share and retain your personal data, visit: www.redcar-cleveland.gov.uk/dataprivacy If you wish to stop receiving emails and unsubscribe from this Council email account, then please reply to this email and let us know. We will need your name and address to amend our records. If we must contact you in the future, we will write to your postal address.

This email and any files transmitted with it are intended solely for the named recipient and may contain sensitive, confidential or protectively marked material up to the central government classification of "RESTRICTED" which must be handled accordingly. If you have received this e-mail in error, please immediately notify the sender by e-mail and delete from your system, unless you are the named recipient (or authorised to receive it for the recipient) you are not permitted to copy, use, store, publish, disseminate or disclose it to anyone else.

E-mail transmission cannot be guaranteed to be secure or error-free as it could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses and therefore the Council accept no liability for any such errors or omissions.

Unless explicitly stated otherwise views or opinions expressed in this email are solely those of the author and do not necessarily represent those of the Council and are not intended to be legally binding.

All Council network traffic may be subject to recording and/or monitoring in accordance with relevant legislation.

Redcar & Cleveland Borough Council, Redcar & Cleveland House, Kirkleatham Street, Redcar, TS10 1RT, Tel: 01642 774 774, Website: www.redcar-cleveland.gov.uk<<http://www.redcar-cleveland.gov.uk>>

This email has been scanned by the Symantec Email Security.cloud service.
For more information please visit <http://www.symanteccloud.com>

ATTENTION:

This message contains privileged and confidential information intended for the addressee(s) only. If this message was sent to you in error, you must not disseminate, copy or take any action in reliance on it and we request that you notify the sender immediately by return email.

Opinions expressed in this message and any attachments are not necessarily those held by the [Health and Safety Laboratory](#) or any person connected with the organisation, save those by whom the opinions were expressed.

Please note that any messages sent or received by the [Health and Safety Laboratory](#) email system may be monitored and stored in an information retrieval system.

Think before you print - do you really need to print this email?

Scanned by **MailMarshal** - Marshal's comprehensive email content security solution. Download a free evaluation of MailMarshal at www.marshal.com
